

[Home](#) ■ [Produkty](#) ■ [Kraty, sita i sita gęste](#) ■ [Kraty schodkowe STEP SCREEN®](#) ■
[HUBER Krata schodkowa STEP SCREEN® SSV](#)

HUBER Krata schodkowa STEP SCREEN® SSV



Cost-effective separation and transport of screenings
Pointing-the-way and innovative screening technology

- Steep installation angle of 70° / 75°
- For high discharge heights and deep channels
- For high flow rates
- Lifting of screenings at bottom level possible

The STEP SCREEN® System is widely accepted and successful due to its function and easy-to-follow operation principle as well as the simple cleaning method without any aids (self-cleaning effect according to the counter-current principle).

It is furthermore easy to maintain and able to handle extremely big screenings volumes whilst it also offers a high operational reliability. The motor linkage drive has been developed from the well-proven and patented link system.

To the benefit of our customers we intentionally avoided difficult-to-maintain chain drives. With the linkage type we are able to master the occurring bending moments on the lamellas, especially with high water levels.

[Korzyści](#)

THE BENEFITS OF THE STEP SCREEN® VERTICAL AT A GLANCE:

Function principle:

- Lifting of screenings at bottom level due to a special bottom step design
- Gentle and complete screenings transport due to the counter-current principle

Retrofitting / new plants:

- Optimally adjustable to individual constructional conditions (high discharge height, deep channel) due to the steep installation angle

Flow rate:

- High capacity; the flow passes the screen surface only once

Separation efficiency:

- High separation efficiency due to the narrow slot width and the produced screenings carpet

Cleaning:

- Self-cleaning effect due to movable lamellas (no spray water, no brushes)

Operational stability:

- Reduced susceptibility to grit, gravel and stones due to the bottom step washing system

Protection against corrosion:

- Manufactured from stainless steel and acidtreated in a pickling bath

Experience:

- Unrivalled for more than 20 years

Pivoting arrangement:

- Removal of the subsequent wash press or conveying unit is not required.


Do pobrania

 [Brochure: STEP SCREEN® Vertical SSV](#) [pdf, 388 KB]

Przykłady wdrożeń

- [HUBER STEP SCREEN® Vertical for cooling water screening in South Africa](#)
- [HUBER supplies the machines for the mechanical treatment stage of the worlds' largest wastewater treatment plant project](#)
- [4 HUBER VORMAX Vortex Grit Chamber screens in Saudi Arabia](#)

Rysunek schematyczny



Zdjęcia



Inne produkty z tej grupy Kraty schodkowe STEP SCREEN®

Biuro Handlowe: ul. Ryżowa 51, 02-495 Warszawa, tel. + 48 22 572-28-60; fax + 48 22 572 28 68
Serwis: ul. Ryżowa 51, 02-495 Warszawa, tel. + 48 22 572-28-60; fax + 48 22 572 28 98
KRS: 0000132940 Organ rejestrowy: Sąd Rej. dla m.st. W-wy w Warszawie, XIII Wydział Gospod. KRS

NIP 521-009-28-15
KRS 0000132940
Kapitał zakładowy 500.000 zł

Member of the HUBER group:
www.huber.de
