

[Home](#) ■ [Обладнання](#) ■ [Обробка осаду](#) ■ [Очищення від механічних забруднень](#) ■
[HUBER Установка прийому і механічного очищення фекального мулу RoFAS](#)

HUBER Установка прийому і механічного очищення фекального мулу RoFAS



Wash drum for efficient and reliable coarse material separation for septic sludge

Rotating high-performance screening drum for extreme applications.

Reliable, clog-free solids transport through forced guided material transport within the drum.

Solids washing and dewatering by means of a subsequent screenings wash press, type HUBER WAP®.

- High solids throughput
- Optional simultaneous emptying of several vehicles
- Minimum wear
- Two-dimensional screening

While wash water is added to pre-wash and homogenise the raw material within the HUBER Sludge Acceptance Plant, the perforated plate of the wash drum retains all particles > 10 mm, which are dewatered and then discharged into a skip. Since only coarse material > 10 mm is separated, the volume of the resultant residues is vastly reduced with virtually the complete mineral material being further treated in the down-stream COANDA Grit Washer. The resultant coarse material can then be further separated into a mineral and organic fraction by means of a coarse material washer.

преимущества


ADVANTAGES OF THE HUBER SLUDGE ACCEPTANCE PLANT ROFAS

- High solids throughput even with problematic material (tresses, grease, stones)
- High hydraulic capacity even with high solids contents
- Defined separation size due to two-dimensional screening
- Feeding from a conveyor, through a launder channel or pressure line
- Completely encased unit
- Insensitive to coarse material
- 3 to 100 mm separation size
- Screened wastewater can be used as wash water
- Short tanker vehicle emptying times
- Optional simultaneous emptying of several vehicles
- Minimum wear, reduced maintenance
- Compact, space-saving design
- Low energy demand
- Manufactured entirely of stainless steel for maximum corrosion resistance

[PDF скачать](#)

 [проспект: ROTAMAT® Wash Drum RoSF 9 / RoFAS \(по-английски\)](#) [pdf, 196 KB]

Media



Video: Trucks Keep Moving
Because ECUA Septage Station
Handles It All

<https://www.youtube.com/watch?v=Rd9HVK0ONSA>

Інше обраднання серії Очищення від механічних забруднень

- HUBER Прес-фільтр STRAINPRESS®
- HUBER Установка прийому та механічного очищення фекального мулу ROTAMAT® Ro3

Biuro Handlowe: ul. Ryżowa 51, 02-495 Warszawa, tel. + 48 22 572-28-60; fax + 48 22 572 28 68
Serwis: ul. Ryżowa 51, 02-495 Warszawa, tel. + 48 22 572-28-60; fax + 48 22 572 28 98
KRS: 0000132940 Organ rejestrowy: Sąd Rej. dla m.st. W-wy w Warszawie, XIII Wydział Gospod. KRS

NIP 521-009-28-15
KRS 0000132940
Kapitał zakładowy 500.000 zł

Member of the HUBER group:
www.huber.de